

## **NANDA LIST OF DIAGNOSIS**

Below is a complete listing of all NANDA nursing diagnoses through the 12th conference (1996).

### **Activity/Rest**

Activity intolerance (specify level)  
Activity intolerance, for  
Disuse syndrome, risk for  
Diversional activity deficit  
Fatigue  
Sleep pattern disturbance

### **Circulation**

Adaptive capacity: intracranial, decreased  
Cardiac output, decreased  
Dysreflexia  
Tissue perfusion, altered (specify): cerebral, cardiopulmonary, renal, gastrointestinal, peripheral

### **Ego Integrity**

Adjustment, impaired  
Anxiety (mild, moderate, severe, panic)  
Body image disturbance  
Coping, defensive  
Coping, individual, ineffective  
Decisional conflict  
Denial, ineffective  
Energy field disturbance  
Fear  
Grieving, anticipatory  
Grieving, dysfunctional  
Hopelessness  
Personal identity disturbance  
Post-trauma response (specify stage)  
Powerlessness  
Rape-trauma syndrome (specify)  
Rape-trauma syndrome: compound reaction  
Rape-trauma syndrome: silent reaction  
Relocation stress syndrome  
Self-esteem, chronic low  
Self-esteem disturbance  
Self-esteem, situational low  
Spiritual distress (distress of the human spirit)  
Spiritual well being, enhanced, potential for

### **Elimination**

Bowel incontinence  
Constipation  
Constipation, colonic  
Constipation, perceived

Diarrhea  
Incontinence, functional  
Incontinence, reflex  
Incontinence, stress  
Incontinence, total  
Incontinence, urge  
Urinary elimination, altered  
Urinary retention, (acute/chronic)

### **Food/Fluid**

Breastfeeding, effective  
Breastfeeding, ineffective  
Breastfeeding, interrupted  
Fluid volume deficit (active loss)  
Fluid volume deficit (regulatory failure)  
Fluid volume deficit, risk for  
Fluid volume excess  
Infant feeding pattern, ineffective  
Nutrition: altered, less than body requirements  
Nutrition: altered, more than body requirements  
Nutrition: altered, risk for more than body requirements  
Oral mucous membrane, altered  
Swallowing, impaired  
Hygiene  
Self-care deficit (specify level): feeding, bathing/hygiene, dressing/ grooming, toileting

### **Neurosensory**

Confusion, acute  
Confusion, chronic  
Infant behavior, disorganized  
Infant behavior, disorganized, risk for  
Infant behavior, organized, potential for enhanced  
Memory, impaired  
Peripheral neurovascular dysfunction, risk for  
Sensory perception alterations (specify): visual, auditory, kinesthetic, gustatory, tactile, olfactory  
Thought processes, altered  
Unilateral neglect  
Pain/Discomfort  
Pain  
Pain, acute  
Pain, chronic  
Respiration  
Airway clearance, ineffective  
Aspiration, risk for  
Breathing pattern, ineffective  
Gas exchange, impaired  
Spontaneous ventilation, inability to sustain  
Ventilatory weaning response, dysfunctional (DVWR)

### **Safety**

Body temperature, altered, risk for  
Environmental interpretation syndrome, impaired

Health maintenance, altered  
Home maintenance management, impaired  
Hyperthermia  
Hypothermia  
Infection, risk for  
Injury, risk for  
Perioperative positioning injury, risk for  
Physical mobility, impaired  
Poisoning, risk for  
Protection, altered  
Self-mutilation, risk for  
Skin integrity, impaired  
Skin integrity, impaired, risk for  
Suffocation, risk for  
Thermoregulation, ineffective  
Tissue integrity, impaired  
Trauma, risk for  
Violence, (actual)/risk for:  
directed at self/others

**Sexuality(component of ego integrity and social interaction)**

Sexual dysfunction  
Sexuality patterns, altered  
Social Interaction  
Caregiver role strain  
Caregiver role strain, risk for  
Communication, impaired verbal  
Community coping, enhanced, potential for  
Community coping, ineffective  
Family coping, ineffective  
Family coping, potential for growth  
Family processes, altered: alcoholism (substance abuse)  
Family processes, altered  
Loneliness, risk for  
Parental role conflict  
Parent/infant/child attachment, altered, risk for  
Parenting, altered  
Parenting, altered, risk for  
Role performance, altered  
Social interaction, impaired  
Social isolation  
Teaching/Learning  
Growth and development, altered  
Health-seeking behaviors (specify)  
Knowledge deficit (learning need) (specify)  
Noncompliance (compliance, altered) (specify)  
Therapeutic regimen: community, ineffective management  
Therapeutic regimen: families, ineffective management  
Therapeutic regimen: individual, effective management  
Therapeutic regimen: individual, ineffective management